

### **TEST REPORT**

Report No.: LCS200415028AR

Date: 2020.04.17

Page 1 of 13

**Applicant** 

: SRNE Solar Co., Ltd.

**Address** 

4-5F, 13A Wutong Island , Neihuan Rd, Xixiang, Bao`an, Shenzhen,

Guangdong, China

Report on the submitted samples said to be:

Sample Name

: Solar charge controller

**Trade Mark** 

: N/A

Style No.

: MC4860N15, MC4870N15, MC4860N25, MC4870N25

**Testing Period** 

: April 15, 2020 ~ April 17, 2020

Results

: Please refer to next page(s).

TEGT DEGUEGT	CONCLUSION
TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted	
sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent	2.20
Chromium(Cr(VI)), PBBs, PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl	Pass
Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diispbutyl phthalate(DIBP)	Fass
content comply with the limit requirement as set of RoHS Directive (EU) 2015/863	
amending Annex II to Directive 2011/65/EU.	

Signed for and on behalf of LCS





## **TEST REPORT**

Report No.: LCS200415028AR Date: 2020.04.17 Page 2 of 13

#### Results:

### A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

NO.				Res	sults			Date of sample
	Tested Part(s)	Cd	Cd Pb Hg Cr <sup>▼</sup>			Br <sup>▼</sup>		submission/resu
		Cu	FD	Hg	Cr	PBBs	PBDEs	bmission
1	Copper coil with dark red coating (L2)	BL	BL	BL	BL	/	/	2020-04-15
2	Black core (L2)	BL	BL	BL	BL	/	1 6	2020-04-15
3	Blue body (C59)	BL	BL	BL	BL	BL	BL	2020-04-15
4	Brown printed black plastic skin (C53)	BL	BL	BL	BL	BL	BL	2020-04-15
5	Silver metal shell (C53)	BL	BL	BL	BL	1	/	2020-04-15
6	Black plastic plug (C53)	BL	BL	BL	BL	BL	BL	2020-04-15
7	Silver metal pin (C53)	BL	BL	BL	BL	/	/	2020-04-15
8	Brown wet paper (C53)	BL	BL	BL	BL	BL	BL	2020-04-15
9	Dark silver metal foil (C53)	BL	BL	BL	BL	1	16	2020-04-15
10	Bright silver metal foil (C53)	BL	BL	BL	BL	/	1	2020-04-15
11	Red body	BL	BL	BL	BL	BL	BL	2020-04-15
12	Silver metal plate	BL	BL	BL	BL	1	/	2020-04-15
13	White plastic buckle (CON12)	BL	BL	BL	BL	BL	BL	2020-04-15
14	Silver metal needle (CON12)	BL	BL	BL	BL	/	/	2020-04-15
15	Yellow plastic film (PH1)	BL	BL	BL	BL	BL	BL	2020-04-15
16	Silver metal casing (CON3)	BL	BL	BL	BL	1	1	2020-04-15
17	Black plastic (CON3)	BL	BL	BL	BL	BL	BL	2020-04-15
18	Silver metal needle (CON3)	BL	BL	BL	BL	/	/	2020-04-15
19	Green plastic	BL	BL	BL	BL	BL	BL	2020-04-15
20	Silver metal needle	BL	BL	BL	BL	1	0 1	2020-04-15
21	Perforated silver metal shell (S1)	BL	BL	BL	BL	/	/	2020-04-15
22	Black plastic snap (S1)	BL	BL	BL	BL	BL	BL	2020-04-15
23	Silver metal sheet (S1)	BL (	BL	BL	BL	/	16	2020-04-15
24	Black plastic base (S1)	BL	BL	BL	BL	BL	BL	2020-04-15
25	Silver metal pin (S1)	BL	BL	BL	BL	/	/	2020-04-15



# **TEST REPORT**

Report No.: LCS200415028AR Date: 2020.04.17 Page 3 of 13

PBBs PBDEs	Date of sample submission/resubmission
PBBs PBDEs	submission/resu
PBBs PBDEs	, bmission
DI DI	<b>'</b>
BL BL	2020-04-15
BL BL	2020-04-15
BL BL	2020-04-15
/ /	2020-04-15
BL BL	2020-04-15
1 1	2020-04-15
/ /	2020-04-15
BL BL	2020-04-15
X X	2020-04-15
1 1	2020-04-15
BL BL	2020-04-15
BL BL	2020-04-15
BL BL	2020-04-15
1	2020-04-15
	BL BL  BL BL  BL BL  BL BL  / / /  BL BL  X X  / /  BL BL  BL BL  BL BL  BL BL

\*\*\*\*\*\*\*\*\*\*\*\*\*





## TEST REPORT

Report No.: LCS200415028AR Date: 2020.04.17 Page 4 of 13

#### Note:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td> (2)</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	(2)	BL≤250-3σ <x< td=""></x<>

#### Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content

\*\*\*\*\*\*\*\*\*\*\*\*\*\*





## TEST REPORT

Report No.: LCS200415028AR Date: 2020.04.17 Page 5 of 13

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)		
Cadmium (Cd)	100		
Lead (Pb)	1000		
Mercury (Hg)	1000		
Hexavalent Chromium (Cr(VI))	1000		
Polybrominated biphenyls (PBBs)	1000		
Polybrominated diphenylethers (PBDEs)	1000		
Dibuyl Phthalate(DBP)	1000		
Benzylbutyl Phthalate(BBP)	1000		
Bis(2-ethylhexyl) Phthalate(DEHP)	1000		
Diispbutyl phthalate(DIBP)	1000		

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.





## TEST REPORT

Report No.: LCS200415028AR Date: 2020.04.17 Page 6 of 13

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

#### Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

#### PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

#### BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)





### TEST REPORT

Report No.: LCS200415028AR Date: 2020.04.17 Page 7 of 13

#### Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm<sup>2</sup>
- ■ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13ug/cm<sup>2</sup>. The sample coating is considered to contain Cr(VI)
  - b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than 0.10ug/cm<sup>2</sup>). The sample coating is considered a non- Cr(VI) based coating
  - c. The result between 0.10µg/cm² and 0.13µg/cm² is considered to be inconclusive, unavoidable coating variations may influence the determination
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments. Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.
- Flow chart appendix is included.
- Photo appendix is included.



# **TEST REPORT**

Report No.: LCS200415028AR Date: 2020.04.17 Page 8 of 13

### 1) The test results of DBP, BBP, DEHP & DIBP

Item	I Init	MDL	Results	Limit
	Unit		3+4+6+8+11+13	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	11	MDL	Results	Limit
	Unit		15+17+19+22+24+26	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	Unit	MDL	Results	Limit
item	Onit		27+28+30+31+32+33	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	Unit	MDL	Results	Limit
			36+37+39+40+41	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*



## **TEST REPORT**

Report No.: LCS200415028AR Date: 2020.04.17 Page 9 of 13

### 2) The test results of PBBs & PBDEs

Item	Unit	MDL	Results	Limit
nem	Unit	MIDL	(37)	Limit
Polybrominated Biphenyls (PBBs)				
Monobromobiphenyl	mg/kg	5	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	6
Decabromodiphenyl	mg/kg	5	N.D.	
Total content	mg/kg	/	N.D.	1000
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)				
Monobromodiphenyl ether	mg/kg	5	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	(3)
Pentabromodiphenyl ether	mg/kg	5	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	
Total content	mg/kg	/	N.D.	1000

### Remark:

- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.






### **TEST REPORT**

Report No.: LCS200415028AR Date: 2020.04.17 Page 10 of 13

### **Appendix**







股 票 代 码: 871117

# **TEST REPORT**

Report No.: LCS200415028AR Date: 2020.04.17 Page 11 of 13








代 码: 871117

# **TEST REPORT**

Report No.: LCS200415028AR Page 12 of 13 Date: 2020.04.17





## **TEST REPORT**

Report No.: LCS200415028AR	Dat	te: 2020.04.17	Page 13 of 13	

\*\*\*\*\*\* End of Report \*\*\*\*\*\*\*\*\*

#### Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of LCS, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

